| X .   |   |                |  |
|---|---|----------------|--|
|   | Application No.   | Applicant(s)   |  |
| Notice of Allowability  | 09/928,162  | AUTRY, MARK A. |  |
|   | Examiner  | Art Unit       |  |
|   | James K. Trujillo   | 2116           |  |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.  1.  This communication is responsive to communications filed on .   |   |                |  |
|   |   |                |  |
| 2. The allowed claim(s) is/are 1-5, 9-14, 18-23, 27-37 (renumbered as 1-28).  |   |                |  |
| 3. ☑ The drawings filed on <u>12 October 2001</u> are accepted by the Examiner.   |   |                |  |
| 4.  ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) ☐ All b) ☐ Some* c) ☐ None of the:  1. ☐ Certified copies of the priority documents have been received.  2. ☐ Certified copies of the priority documents have been received in Application No  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.  6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.  (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached  1) ☐ hereto or 2) ☐ to Paper No./Mail Date  (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. |   |                |  |
| Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material  | 6. ☐ Interview Summar<br>Paper No./Mail Da<br>8), 7. ☑ Examiner's Amend | ate            |  |

Application/Control Number: 09/928,162 Page 2

Art Unit: 2116

## **DETAILED ACTION**

1. The office acknowledges the receipt of the following and placed of record in the file:

Amendment filed 6/16/05.

## Allowable Subject Matter

- 2. Claims 1-5, 9-14, 18-23, 27-37 are allowed.
- 3. The application having been allowed, formal drawings are required in response to this Office Action.

## **EXAMINER'S AMENDMENT**

4. An examiner's amendment to the record appears below. Should changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Pursuant to MPEP 606.01, the title has been changed to read:

-- UPDATING A BIOS IMAGE BY REPLACING A PORTION OF THE BIOS IMAGE WITH A PORTION OF ANOTHER BIOS IMAGE --

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James K. Trujillo whose telephone number is (571) 272-3677. The examiner can normally be reached on M-F (7:30 am - 5:00 pm) First Friday Off.

Application/Control Number: 09/928,162

Art Unit: 2116

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lynne Browne can be reached on (571) 272-3670. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

James Trujillo August 2, 2005 LYNNE H. BROWNE
PERVISORY PATENT EXAMINER
PECHNOLOGY CENTER 2100

Page 3